

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7564-1 (1974): Recommendations for co-ordination of dimensions in buildings-Arrangements of building components and assemblies, Part 1: Functional group 1 Structures [CED 51: Planning, Housing and pre-fabricated construction]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



IS : 7564 (Part 1) - 1974

Indian Standard

RECOMMENDATIONS FOR CO-ORDINATION OF DIMENSIONS IN BUILDINGS—ARRANGEMENT OF BUILDING COMPONENTS AND ASSEMBLIES

PART 1 FUNCTIONAL GROUP 1—STRUCTURE

(Second Reprint MARCH 1987)

UDC 721.013.389.63:69.02



© Copyright 1975

INDIAN STANDARDS INSTITUTION

MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG

NEW DELHI 110002

Indian Standard

RECOMMENDATIONS FOR CO-ORDINATION OF DIMENSIONS IN BUILDINGS—ARRANGEMENT OF BUILDING COMPONENTS AND ASSEMBLIES

PART I FUNCTIONAL GROUP I—STRUCTURE

Modular Co-ordination Sectional Committee, BDC 10

Chairman

SHRI J. DURAI RAJ

Members

SHRI J. M. BENJAMIN

SHRI S. C. KAPOOR (*Alternate*)

SHRI B. B. GARG

SHRI B. K. TYAGI (*Alternate*)

SHRI A. P. KANVINDE

SHRI M. K. LAKHANI

SHRI B. NARAYAN RAO (*Alternate*)

SHRI G. C. MATHUR

SHRI M. M. MISTRY (*Alternate*)

SHRI T. R. MEHANDRU

SHRI M. A. MEHTA

SHRI S. G. MEHTA

SHRI H. B. BHATT (*Alternate*)

SHRI K. K. NAMBIAR

SHRI S. SIVASWAMY (*Alternate*)

PROF S. K. NARAYANA

SHRI P. B. RAI

SHRI V. NAGARAJA (*Alternate*)

REPRESENTATIVE

SHRI K. G. SALVI

SHRI S. K. CHATTERJEE (*Alternate*)

SHRI T. K. SARAN

Representing

Hindustan Steel Works Construction Ltd, Calcutta

Central Public Works Department (Architectural Wing), New Delhi

Central Building Research Institute (CSIR), Roorkee

Indian Institute of Architects, Bombay
Maharashtra Housing Board, Bombay

National Buildings Organization, New Delhi

Institution of Engineers (India), Calcutta
Concrete Association of India, Bombay
Gujarat Housing Board, Ahmedabad

Cement Service Bureau, Madras

School of Town Planning & Architecture,
New Delhi

Town & Country Planning Organization (Ministry of Works & Housing), New Delhi

Delhi Development Authority, New Delhi

Hindustan Housing Factory Ltd, New Delhi

Bureau of Public Enterprises (Ministry of Finance),
New Delhi

(Continued on page 2)

© Copyright 1975

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act (XIV of 1957)* and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 7564 (Part I) - 1974

(Continued from page 1)

Members

SHRI M. V. SATHE

SHRI S. BALAKRISHNAN (*Alternate*)

SHRI L. G. TOYE

SHRI N. V. SHASTRI (*Alternate*)

SHRI S. N. WIG

SHRI SADHU RAM GUPTA (*Alternate*)

SHRI D. AJITHA SIMHA,
Director (Civ Engg)

Representing

Engineer-in-Chief's Branch, Army Headquarters,
New Delhi

Ministry of Railways, New Delhi

Builder's Association of India, Bombay

Director General, ISI (*Ex-officio Member*)

Secretary

SHRI S. P. MAGGU

Assistant Director (Civ Engg), ISI

Indian Standard

RECOMMENDATIONS FOR CO-ORDINATION OF DIMENSIONS IN BUILDINGS—ARRANGEMENT OF BUILDING COMPONENTS AND ASSEMBLIES

PART I FUNCTIONAL GROUP I—STRUCTURE

0. FOREWORD

0.1 This Indian Standard (Part I) was adopted by the Indian Standards Institution on 4 November 1974, after the draft finalized by the Modular Co-ordination Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Since the basic decision to adopt a 10 cm module has been taken, the work connected with the application of this module for different building components, such as bricks, walling materials, roofing materials etc, has been done by different committees and dimensions have been recommended by these committees for such components.

0.2.1 However, it has been felt that some thought had to be given to the need for dimensionally co-ordinating a particular product, specially with respect to the three dimensions — length, width, height/thickness. It was felt that in some cases such co-ordination of dimensions may or may not be necessary, while in other cases it is absolutely imperative. To identify such parameters for individual components, it was felt that building as a whole should be examined from the point of view of various components that go into it and then decide on the need for dimensional co-ordination on an individual basis.

0.2.2 After such a decision has been arrived at, it will then be possible for the relevant committees to adopt this principle in finally arriving at the nominal and work sizes for the individual components. With this end in view the building has been divided broadly into the following five functional groups:

- a) Functional group 1 — Structure
- b) Functional group 2 — External envelope
- c) Functional group 3 — Internal subdivision
- d) Functional group 4 — Services and drainage
- e) Functional group 5 — Fixtures, furniture and equipment

0.3 It was indeed very useful for the Modular Co-ordination Sectional Committee to have the views of various architects, engineers and users in arriving

IS : 7564 (Part I) - 1974

at a basic decision regarding the need for dimensionally co-ordinating some of these products so that the relevant committees could exercise their mind on such items only. Based on these decisions, it may be possible to review the existing Indian Standards on different subjects where dimensions have been already given and arrive at new dimensions where necessary.

0.3.1 It may be noted that the words 'co-ordination of dimensions' instead of 'modular co-ordination' have been used in the title of the standard with a view to encouraging the concept of establishing the correlation of two or more products when juxtaposed together to perform a function. If such a function is not necessary or there is no function to be done, then it appears there may not be a need for co-ordinating dimension in the products placed together.

0.4 In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country. This has been met by deriving assistance from the following:

BSPD 6432 : Part 1-1969 Recommendations for the co-ordination of dimensions in building — arrangement of building components and assemblies within functional groups; Part 1 Functional groups 1, 2, 3 and 4. British Standards Institution.

BSPD 6432 : Part 2-1969 Recommendations for the co-ordination of dimensions in building — arrangement of building components and assemblies within functional groups, Part 2 Functional group 5. British Standards Institution.

0.5 This standard is one of a series of Indian Standards on modular co-ordination.

1. SCOPE

1.1 This standard (Part I) lays down recommendations for co-ordinating dimensions of building components and assemblies for functional group 1 structure which comprises of the following elements of construction:

Foundation, floors, roofs, floor and roof beams, roof trusses and arches, columns, load bearing walls, staircases, ramps and raker beams.

2. TERMINOLOGY

2.0 For the purpose of this standard the following definitions shall apply.

2.1 Element of Construction — A functional part of a building constructed from building materials and/or building components.

2.2 Services — The group of installations each of which supplies one or more services to a building.

2.3 Assembly — An aggregate of building components used together.

2.4 Building Component — A building product formed as a distinct unit having specified sizes in three dimensions.

2.5 Building Section — Building material formed to a definite cross-section but of unspecified length. Sections are usually manufactured by a continuous process, such as rolling, drawing, extruding or machining. Examples are angles, bars, tubes, battens, sheet, plate, wire and cable.

2.6 Co-ordinating Plane — A plane by reference to which a building component or assembly is co-ordinated with another.

2.7 Co-ordinating Space — A space bounded by co-ordinating planes allocated to a component, including allowances for tolerances and joint clearances.

2.8 Co-ordinating Dimensions — A dimension of co-ordinating space, which defines the relative positions of two or more components in an assembly, according to the characteristics of the components which are relevant to assembly.

2.9 Basic Size — The size by reference to which the limits of size are fixed.

3. GRADING OF COMPONENTS AND ASSEMBLIES

3.1 Depending upon the relative importance, the components or assemblies shall be given a grading, A, B, or C as follows:

Grading A — Components or assemblies for which dimensional co-ordination is essential.

Grading B — Components or assemblies which in some situations need to be dimensionally co-ordinated.

Grading C — Components or assemblies which do not require to be dimensionally co-ordinated.

4. CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES

4.1 The recommended co-ordinating dimensions of building components and assemblies for functional group 1 — structure shall be as given in Table 1.

TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 1 — STRUCTURE

(Clause 4.1)

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRADING	CO-ORDINATING DIMENSIONS				CROSS REFERENCE TO OTHER FUNCTIONAL GROUPS
					Length	Width	Height	Depth/Thickness	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	i) Foundation			C	—	—	—	—	
	ii) Floors								
		Solid		A	✓	✓	—	✓	3
		Hollow core		A	✓	✓	—	✓	3
		Ribbed		A	✓	✓	—	✓	3
		Joisted		A	✓	✓	—	✓	3
		Built-up		A	✓	✓	—	✓	3
		Decking		A	✓	✓	—	✓	
		Sheets		A	✓	✓	—	—	2, 3
		Structural topping		A	—	—	—	✓	
		Ribs		A	✓	✓	—	✓	
		Sections, joists		A	✓	✓	—	✓	
		Concrete formers (hollow block)		A	✓	✓	—	✓	
		Concrete reinforcement, bar		C	—	—	—	—	
		Slab drop (as in flat slabs)		A	✓	✓	—	✓	
		Fixing accessories		C	—	—	—	—	

	Formwork	A	—	—	—	—	
	Panels, preformed	A	✓*	✓	—	—	
	Sections	A	✓*	—	—	—	
	Sheets	A	✓*	✓	—	—	2, 3
	Fixing accessories	C	—	—	—	—	
<hr/>							
iii)	Roofs						
	Solid	A	✓	✓	—	✓	2
	Hollow core	A	✓	✓	—	✓	2
	Ribbed	A	✓	✓	—	✓	2
	Joisted	A	✓	✓	—	✓	2
	Built-up	A	✓	✓	—	✓	2
	Shell	A	✓	✓	—	—	2
	Decking	A	✓	✓	—	✓	
	Sheets	A	✓	✓	—	—	2, 3
	Structural topping	A	—	—	—	✓	
	Ribs	A	✓	✓	—	✓	
	Sections, joists	A	✓	✓	—	✓	
	Sections, common rafters	A	✓	—	—	—	
	Sections, purlins	A	✓	—	—	—	
	Concrete formers (hollow block)	A	✓	✓	—	✓	
	Concrete reinforcement, bar	C	—	—	—	—	
	Slab drop (as in flat slab)	A	✓	✓	—	✓	
	Fixing accessories	C	—	—	—	—	2, 3
	Formwork	A	—	—	—	—	
	Panels, preformed	A	✓*	✓	—	—	
	Sections	A	✓*	—	—	—	
	Sheets	A	✓*	✓	—	—	2, 3
	Fixing accessories	C	—	—	—	—	
<hr/>							
iv)	Structural floor and roof beams						
	Solid	A	✓	✓	—	✓	

*Net sizes of forms will be derived from component sizes.

(Continued)

TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 1—STRUCTURE—Contd

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRADING	CO-ORDINATING DIMENSIONS				CROSS REFERENCE TO OTHER FUNCTIONAL GROUPS	
					Length	Width	Height	Depth/Thickness		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
iv)	Structural floor and roof beams—Contd	Hollow core Built-up		A	✓	✓	—	✓		
				A	✓	✓	—	✓		
			Sections	A	✓	✓	—	✓		
			Concrete reinforcement, bar	C	—	—	—	—		
			Concrete formers	A	—	✓	—	✓		
			Fixing accessories	C	—	—	—	—	2, 3	
			Cased		A	✓	✓	—	✓	
		Fire casings, pre formed		A	✓	✓	—	✓	3	
		Sheets, fire resistant		A	✓	✓	—	—	2, 3	
		Sections		A	✓	—	—	—		
		Fixing accessories		C	—	—	—	—	2, 3	
				Formwork		A	—	—	—	—
		Panels, preformed	A		✓*	✓	—	—		
		Sections	A		✓*	—	—	—		
		Sheets	A		✓*	✓	—	—	2, 3	
Fixing accessories	C	—	—		—	—				

v) Structural roof trusses and arches

Truss

		Sections	C	—	—	—	—		
		Fixing accessories	C	—	—	—	—		
	Arch		A	✓	✓	—	—		
		Bricks	B	✓	✓	✓	—	2, 3	
		Blocks	B	✓	✓	✓	—	2, 3	
		Fire casings, pre-formed	A	✓	✓	—	—		
		Sheets, fire resisting	A	✓	✓	—	—	2, 3	
		Sections	A	✓	—	—	—		
		Fixing accessories	C	—	—	—	—		
<hr/>									
	vi) Columns								
		Solid	A	✓	✓	✓	—		
		Hollow	A	✓	✓	✓	—		
		Built-up	A	✓	✓	✓	—		
		Sections	A	✓	✓	✓	—		
		Concrete reinforcement, bar	C	—	—	—	—		
		Fixing accessories	C	—	—	—	—	2, 3	
		Bricks	B	✓	✓	✓	—	2, 3	
		Blocks	B	✓	✓	✓	—	2, 3	
		Concrete formers	A	—	—	✓	—		
	Cased		A	✓	✓	✓	—		
		Fire casings, pre-formed	A	✓	✓	✓	—	3	
		Sheets, fire resisting	A	—	✓	✓	—	2, 3	
		Sections	A	✓	—	—	—		
		Fixing accessories	C	—	—	—	—	2, 3	
	Formwork		A	—	—	—	—		
		Panels, preformed	A	✓*	✓	—	—		
		Sections	A	✓*	—	—	—		
		Sheets	A	✓*	✓	—	—	2, 3	
		Fixing accessories	C	—	—	—	—		

*Net sizes of forms will be derived from component sizes.

(Continued)

TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 1—STRUCTURE — Contd

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRADING	CO-ORDINATING DIMENSIONS				CROSS REFERENCE TO OTHER FUNCTIONAL GROUPS	
					Length	Width	Height	Depth/Thickness		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
vii) Load-bearing walls										
		Solid (including cavity)		A	✓	—	✓	✓	2, 3	
			Bricks	B	✓	✓	✓	—	2, 3	
			Blocks	B	✓	✓	✓	—	2, 3	
			Lintels	A	✓	✓	—	✓	2	
			Sunshades	A	✓	✓	—	—		
			Bed blocks	A	✓	✓	✓	—		
			RCC band	A	—	✓	—	✓		
			Panels, preformed	A	✓	—	✓	✓	2	
			Concrete reinforcement, bar	C	—	—	—	—		
			Fixing accessories	C	—	—	—	—	2, 3	
			Concrete formers	A	✓	—	✓	—		
			Framed		A	✓	—	✓	✓	
				Sections	A	—	✓	—	✓	
				Sheets	A	✓	—	✓	—	
		Fixing accessories	C	—	—	—	—	2, 3		
		Formwork		A	—	—	—	—		
			Panels, preformed	A	✓*	✓	—	—		
			Sections	A	✓*	—	—	—		
			Sheets	A	✓*	✓	—	—	2, 3	
			Fixing accessories	C	—	—	—	—		

viii) Staircases (spiral, straight flight, half landing and quarter landing)

Solid Joisted Built-up	A	✓	✓	✓	✓		
	A	✓	✓	✓	✓		
	A	✓	✓	✓	✓		
	Flights and landings (combined)	A	✓	✓	✓	✓	
	Flights	A	✓	✓	✓	✓	
	Landings	A	✓	✓	✓	✓	
	Tread and riser (combined)	A	✓	✓	✓	—	
	Treads	A	✓	✓	—	—	
	Waists, stringers or carriages	A	—	—	—	✓	
	Concrete reinforcement, bar	C	—	—	—	—	
	Fixing accessories	C	—	—	—	—	2, 3
	Formwork	A	—	—	—	—	
	Panels, preformed	A	✓*	✓	—	—	
Sections	A	✓*	—	—	—		
Sheets	A	✓*	✓	—	—	2, 3	
Fixing accessories	C	—	—	—	—		

ix) Ramps

Solid Hollow core Ribbed Joisted Built-up	A	✓	✓	✓	✓	3
	A	✓	✓	✓	✓	3
	A	✓	✓	✓	✓	3
	A	✓	✓	✓	✓	3
Decking Sheets Structural topping Ribs Sections Concrete formers	A	✓	✓	—	✓	
	A	✓	✓	—	—	2, 3
	A	—	—	—	✓	
	A	✓	✓	—	✓	
	A	✓	✓	—	✓	

*Net sizes of forms will be derived from component sizes.

(Continued)

TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 1—STRUCTURE—Contd

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRADING	CO-ORDINATING DIMENSIONS				GROSS REFERENCE TO OTHER FUNCTIONAL GROUPS
					Length	Width	Height	Depth/Thickness	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
<i>(ix) Ramps—Contd</i>									
		Formwork	Concrete reinforcement, bar	C	—	—	—	—	
			Fixing accessories	C	—	—	—	—	2, 3
			Panels, preformed	A	—	—	—	—	
			Sections	A	√*	√	—	—	
			Sheets	A	√*	√	—	—	2, 3
			Fixing accessories	C	—	—	—	—	
x)	Raker beams (<i>see</i> 'Structural floor and roof beams' for cross section dimensional recommendations)			A	√	√	√	√	
			(<i>see</i> 'Structural floor and roof beams' for components)						

√ = This sign indicates that the dimension is required to be co-ordinated.

*Net sizes of forms will be derived from component sizes.



INDIAN STANDARDS INSTITUTION

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 3 31 01 31, 3 31 13 75

Telegrams : Manaksanstha
(Common to all Offices)

Regional Offices :

Telephone

*Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093 6 32 92 95

†Eastern : 1/14 C. I. T. Scheme VII M. V. I. P. Road, Maniktola, CALCUTTA 700054 36 24 99

Northern : SCO 445-446, Sector 35-C CHANDIGARH 160036 { 2 18 43
3 18 41

Southern : C. I. T. Campus, MADRAS 600113 { 41 24 42
41 25 19
41 29 16

Branch Offices :

Pushpak, Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001 { 2 63 48
2 63 49

'F' Block, Unity Bldg, Narasimheraja Square, BANGALORE 560002 22 48 05

Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar, BHOPAL 462003 5 27 16

Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002 5 36 27

53/5 Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAHATI 781003 —

5-8-56C L. N. Gupta Marg, (Nampally Station Road), HYDERABAD 500001 22 10 83

R14 Yudhister Marg, C Scheme, JAIPUR 302005 { 6 34 71
6 98 32

117/418B Sarvodaya Nagar, KANPUR 208005 { 21 68 76
21 82 92

Patliputra Industrial Estate, PATNA 800013 6 23 05

Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001 52 27

Inspection Office (With Sale Point):

Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 410005 5 24 35

*Sales Office in Bombay is at Novelty Chambers, Grant Road, Bombay 400007 89 65 28

†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, Calcutta 700072 27 68 00