

BLANK PAGE



Indian Standard.

SCHEDULE FOR PROPERTIES AND AVAILABILITY OF STONES FOR CONSTRUCTION PURPOSES

PART III TAMIL NADU STATE

Section 3 Engineering Properties of Stone Aggregates

UDC 691·21·002·611(548·1)



© Copyright 1980

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

SCHEDULE FOR PROPERTIES AND AVAILABILITY OF STONES FOR CONSTRUCTION PURPOSES

PART III TAMIL NADU STATE

Section 3 Engineering Properties of Stone Aggregates

Stones Sectional Committee, BDC 6

Chairman

SHRI B. RAMACHANDRAN

Representing

Geological Survey of India, Calcutta

Members

SHRI S. R. PRADHAN (Alternate to

Shri B. Ramachandran)

SHRI K. K. AGRAWALA Builders' Association of India, Bombay

SHRI K. K. MADHOK (Alternate)

SHRI R. K. BANSAL

Delhi Marble Dealers' Association, New Delhi SHRI J. K. CHARAN Engineer-in-Chief's Branch, Army Headquarters

SHRI K. KAMLANATHAN (Alternate)

CHIEF ARCHITECT Central Public Works Department, New Delhi

CHIEF ENGINEER (B&R)

Public Works Department, Government Rajasthan, Jaipur

SHRI S. K. BANERJEE

National Test House, Calcutta

SHRI P. R. DAS (Alternate) SHRI Y. N. DAVE

Department of Geology & Mining, Government of Rajasthan, Udaipur

SHRI R. G. GUPTA (Alternate) DEPUTY DIRECTOR (RESEARCH), PWD RESEARCH INSTITUTE DR M. P. DHIR

Public Works Department, Government of Uttar Pradesh, Lucknow Central Road Research Institute (CSIR), New Delhi

DR N. B. LAL (Alternate) RESEARCH OFFICER, GERI, Vadodara

Public Works Department, Government of Gujarat,

DIRECTOR (CSMRS) DEPUTY DIRECTOR (CSMRS)

Vadodara Central Water Commission, New Delhi

(Alternate)

SHRI M. K. GUPTA

Himalayan Tiles and Marble Pvt Ltd. Bombay

(Continued on page 2)

© Copyright 1980

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS: 7779 (Part III/Sec 3) - 1980

(Continued from page 1)

Members

Representing

DR IOBAL ALI

Engineering Research Laboratories, Government of Andhra Pradesh, Hyderabad

SHRI G. RAMAKRISHNA (Alternate)

SHRI R. C. JAIN

Ministry of Shipping & Transport (Roads Wing) Indian Institute of Technology, Bombay

SHRI R. G. LIMAYE Dr G. S. MEHROTRA

Central Building Research Institute (CSIR),

Roorkee

DR DINESH CHANDRA (Alternate)

SHRI PREM SWARUP

Department of Geology & Mining, Government of Uttar Pradesh, Lucknow

SHRI A. K. AGARWAL (Alternate)

DR A. V. R. RAO

National Buildings Organisation, New Delhi

SHRI J. SENGUPTA (Alternate) RESEARCH OFFICER, MÈRI, NASIK

Irrigation & Power Department, Government of

ENGINEER SUPERINTENDING

Maharashtra, Bombay Public Works & Electricity Department, Govern-

(DESIGNS) SUPERINTENDING ENGINEER (DESIGNS)

ment of Karnataka, Bangalore Public Works Department, Government of Tamil Nadu, Madras

DY CHIEF ENGINEER (I & D)

(Alternate)

Public Works Department, Government of West

SUPERINTENDING ENGINEER (PLAN-NING CIRCLE) SHRI D. AJITHA SIMHA,

Bengal, Calcutta Director General, ISI (Ex-officio Member)

Director (Civ Engg)

Secretary

SHRI S. SENGUPTA Assistant Director (Civ Egg), ISI

Indian Standard

SCHEDULE FOR PROPERTIES AND AVAILABILITY OF STONES FOR CONSTRUCTION PURPOSES

PART III TAMIL NADU STATE

Section 3 Engineering Properties of Stone Aggregates

0. FOREWORD

- 0.1 This Indian Standard (Part III/Sec 3) was adopted by the Indian Standards Institution on 29 February 1980, after the draft finalized by the Stones Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 Stones are available in large quantities in different parts of the country. To choose and utilize them for various purposes it is necessary to know their availability as well as their various physical properties. Accordingly this Indian Standard is formulated to cover such informations. It is hoped that with the publication of this standard it would be convenient for the users to know the location of various types of stone aggregates and it would also act as a guide for their proper selection depending upon their particular use. This standard will give general information to prospective builders who use stone and stone aggregates. The final acceptance of the materials in any work would, however be subject to the physical standards and other specifications and quality control requirements stipulated for individual works.
- 0.2.1 This standard is being published in parts, each part covering a state. For facility of compilation and use of the standard, each part is divided in three sections. Accordingly Part III covers Tamil Nadu State and is being issued in three sections.
- 0.3 The information contained in this Section is based on the information sent by the Public Works Department, Govt of Tamil Nadu and covers data collected up to the end of 1979. Further information as and when available will be issued as addendum to the standard.
- 0.4 In reporting the results of a test or analysis made in accordance with this standard, if the final value, observed or calculated is to be rounded off, it shall be done in accordance with IS: 2-1960*.

^{*}Rules for rounding off numerical values (revised).

IS: 7779 (Part III/Sec 3) - 1980

1. SCOPE

1.1 This standard (Part III/Sec 3) covers the engineering properties of stone aggregates in Tamil Nadu State.

2. TEST RESULTS

2.1 The test results for various types of stone aggregates tested for some of the important properties according to relevant Indian Standards are given in Table 1.

	(Clause 2.1)							
SL No.		CLASSIFI- CATION	SPECIFIC GRAVITY	Water Absorption % [IS: 2386 (Part III)-1963*]	CRUSHING VALUE % [IS: 2386 (PART IV)- 1963†]	VALUE % [IS:2386	LOAD REQUIRED FOR TEN PERCENT FINES [IS: 2386 (PART IV)-1963†]	Soundness by Na ₂ SO ₄ % Loss [IS:2386 (Part V)- 1963‡]
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
I	. RAMNAD DISTRICT							
1.	Tiruvannamalai Quarry Venkatesapuram Village Srivilliputhur T a l u k Tamanathapuram District	Charnockite	2.70	0 ·39	33·49	36.50	_	_
2.	Vairavanpatti Quarry Tiruppathur Taluk Ramanathapuram District	Charnockite	2·70	0.35	21·17	34.62		-
3.	Varichiyur quarry Sivaganga Taluk Ramanathapuram District	Biotite granite	2.65	0.50	26.28	39.55		- ,
II. TIRUNELVELI DISTRICT								
4.	Kallidaikurichi quarry Manmuthar, Tirunelveli District	Charnockite	2·70	0 ·40	30.42	47.06	. —	_
5.	Valiyamputhari quarry Tenkasi Taluk	Charnockite	2.75	0.15	30.26	25:38	_	

TABLE 1 SCHEDULE OF CHARACTERISTICS OF STONE AGGREGATES - TAMIL NADU STATE

*Methods of test for aggregates for concrete: Part III Specific gravity, density, voids, absorption and bulking. †Methods of test for aggregates for concrete: Part IV Mechanical properties.

#Methods of test for aggregates for concrete: Part V Soundness.

Tirunelveli District

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

Quantity	Unit	Symbol
Length	metre	m
Mass .	kilogram	kg
Time	second	s
Electric current	ampere	Α
Thermodynamic temperature	kelvin	K
Luminous intensity Amount of substance	candela mole	cd mol

Supplementary Units

Quantity	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	sr

Derived Units

Quantity	Unit	Symbol	Definition
Force	newton	N	$1 N=1 kg. m/s^2$
Energy	joule	J	1 J=1 N.m
Power	watt	W	$1 \mathbf{W} = 1 \mathbf{J/s}$
Flux	weber	Wb	1 Wb = 1 V.s
Flux density	tesla	T	1 $T=1 \text{ Wb/m}^2$
Frequency	hertz	Hz	1 Hz=1 c/s (s-1)
Electric conductance	siemens	S	1 S=1 A/V
Electromotive force	volt	V	1 V=1 W/A
Pressure, stress	pascal	Pa	1 Pa=1 N/m ²